



Tactile + Deterrent

blister, corduroy + deterrent surfaced flagstones

DEPTHS



50 | 63
Millimetres

FINISHES

Bl

Blister

Cr

Corduroy

Det

Deterrent

(Blister +
Corduroy only)

400 x 400mm

(Deterrent only)

600 x 600mm

Tactile + Deterrent
colours + finishes

COLOURS + FINISHES

For 'Stock Information' on colours availability - see page 3.



Frost
Resistant



Pedestrian
Use




Light
Traffic
63mm only



Abrasion
Resistant



BUFF BLISTER



RED BLISTER



SILVER GRANITE BLISTER



BUFF CORDUROY



GREY DETERRENT





Tactile + Deterrent

blister, corduroy + deterrent surfaced flagstones

DEPTHS



50 | 63
Millimetres

FINISHES



Blister



Corduroy



Deterrent



STANDARDS + PERFORMANCE

Product Type	Blister, corduroy + deterrent surfaced flagstones
Manufactured to	BS EN 1339:2003
Efflorescence	State-of-the-art factory controlled vapour curing significantly reduces this naturally occurring chemical reaction
Bending Strength	>3.5Mpa. This pressure applies to all sizes and depths. For specific force performance on a given size or depth please contact our Technical Specification Department
Installed to	BS 7533-4:2006
NBS Plus	Q25 315

SUSTAINABILITY

Energy Use	100% renewable
Water Used	100% recycled water
Recyclable	100% of this product can be recycled
Manufacturing	Produced in the UK using responsibly sourced materials
Non-Primary Materials	52 – 60% (surface layer)
Waste Wood + Plastic	100% recycled
Carbon Footprint	We have a new state-of-the-art washing plant which enables AG to produce paving from 100% recycled waste aggregate. Please contact our Technical Specification Department if you are interested in specifying such a product
BREEAM	A Rating – according to the Green Guide to Specification 4th edition 2009. A+ Rating can be achieved when used in conjunction with a prepared recycled sub-base

AG RECOMMENDATIONS

- Close Jointing**
AG recommends a close joint of between 2mm - 5mm as per BS 7533 to cater for product alignment (butt jointing should be avoided).
- Jointing Sand**
AG recommends that silver and slate coloured products are jointed with AG's Granite Sand.
- Colour blending**
AG recommends that products are blended from 3 packs from alternate sides using full vertical sections.
Please contact our Technical Specification Department for further details.

ADVICE + GUIDANCE

- For advice and guidance on ordering, installation, good site practice, etc. visit our website:
professional.ag.uk.com/advice+guidance
- For maintenance guidance and health and safety advice visit our website:
professional.ag.uk.com/maintenance

PROFILES




Blister
Blister on Surface:
Diameter: 25mm
Depth: 5mm



Corduroy
Stripe on Surface:
Width: 22mm
Depth: 6mm



Deterrent Flag



SPACER

No formed spacer.



Frost Resistant



Pedestrian Use



Light Traffic
63mm only



Abrasion Resistant



Tactile+Deterrent

blister, corduroy + deterrent surfaced flagstones

DEPTHS



50 | 63
Millimetres

FINISHES




Blister



Corduroy



Deterrent



(Blister +
Corduroy only)
400 x 400mm



(Deterrent only)
600 x 600mm

Tactile + Deterrent
Stock Information

STOCK INFORMATION

Standard product depth	Size (mm)	In Stock	Available Colours	m ² per pack	Units per m ²	Units per pack	Unit weight (kg)	Weight per pack (t)	Packs per 8 wheeler	Packs per unit lorry
Blister										
50mm	400 x 400	Yes	Buff / Red	12.8	6.25	80	18.75	1.5	10	IRE 16/ GB18
		MTO	Silver Granite							
63mm	400 x 400	MTO	Buff / Red	10.24	6.25	64	23.43	1.452	10	IRE 16/ GB18
Corduroy										
50mm	400 x 400	Yes	Buff	12.8	6.25	80	18.75	1.5	10	IRE 16/ GB18
Deterrent										
50mm	600 x 600	Yes	Grey Smooth	5.4	2.78	15	45.45	0.639	16	24

Information for a specific colour / depth is available on request from our Technical Specification Department.

MTO: Made To Order (minimum order quantities: 250m² per colour / size. Orders below these quantities should be priced on application).



Frost Resistant



Pedestrian Use



Light Traffic 63mm only



Abrasion Resistant

MANUFACTURING

Tactile flags (Red / Buff) – manufactured from aggregates from our own quarries. They are dry pressed in specially designed moulds for a smooth finish.

Deterrent flags (Grey Smooth) – manufactured from locally sourced aggregates. They are wet cast in a specially designed mould with a smooth finish.

PLANT OF MANUFACTURE (POM): BLISTER + CORDUROY - Made at our Ballygawley production plant. DETERRENT - Made at our Carryduff production plant.

CERTIFICATION

ISO 9001
ISO 14001
ISO 45001
CE Marking

Quality Management.
Environmental Management.
Occupational Health and Safety Management.
Download our Declaration of Performance (DOP) data at: www.ag.uk.com/cemarking

