# SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2015/830



# **TEC7 CLEANER**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : TEC7 CLEANER
Registration number REACH : Not applicable (mixture)

Product type REACH : Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant identified uses

Detergent according to Regulation (EC) No 648/2004 Degreasing agent

## 1.2.2 Uses advised against

No uses advised against known

## 1.3. Details of the supplier of the safety data sheet

### Supplier of the safety data sheet

TEC7\*

Industrielaan 5B

B-2250 Olen

**2** +32 14 85 97 37

**₼** +32 14 85 97 38

info@tec7.be

\*TEC7 is a registered trademark of Novatech International N.V.

### Manufacturer of the product

Novatech International N.V.

Industrielaan 5B

B-2250 Olen

**2** +32 14 85 97 37

**4** +32 14 85 97 38

info@novatech.be

## 1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch):

+32 14 58 45 45 (BIG)

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Class	Category	Hazard statements				
Flam. Liq. category 3 H226: Flammable liquid and vapour.						
Asp. Tox.	category 1 H304: May be fatal if swallowed and enters airways.					
STOT SE	category 3	H336: May cause drowsiness or dizziness.				
Aquatic Chronic	category 3	H412: Harmful to aquatic life with long lasting effects.				

## 2.2. Label elements







Contains: hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics.

Signal word	Danger
H-statements	
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.
P-statements	
P101	If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG) Technische Schoolstraat 43 A, B-2440 Geel

P102

http://www.big.be © BIG vzw

Reason for revision: 8; 15 Revision number: 0809 Publication date: 2001-05-29 Date of revision: 2020-07-24

-07-24

34-16433-70

Product number: 32057 1 / 11

P280 Wear protective gloves and eye protection/face protection.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

**Supplemental information** 

EUH066 Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

Gas/vapour spreads at floor level: ignition hazard

# SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark
hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics 01-2119471843-32		<c<100%< td=""><td>Flam. Liq. 3; H226 Asp. Tox. 1; H304 STOT SE 3; H336 Aquatic Chronic 3; H412</td><td>(1)(10)</td><td>UVCB</td></c<100%<>	Flam. Liq. 3; H226 Asp. Tox. 1; H304 STOT SE 3; H336 Aquatic Chronic 3; H412	(1)(10)	UVCB

<sup>(1)</sup> For H-statements in full: see heading 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### General

Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised.

Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.

#### After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

## After skin contact:

Wash immediately with lots of water. Soap may be used. Take victim to a doctor if irritati on persists.

## After eye contact:

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Take victim to an ophthalmologist if irritati on persists.

## After ingestion:

Rinse mouth with water. Do not induce vomiting. Consult a doctor/medical service if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

## 4.2.1 Acute symptoms

## After inhalation:

 $Headache.\ Dizziness.\ EXPOSURE\ TO\ HIGH\ CONCENTRATIONS:\ Narcosis.\ Disturbances\ of\ consciousness.$ 

## After skin contact:

ON CONTINUOUS EXPOSURE/CONTACT: Dry skin. Cracking of the skin.

# After eye contact:

Redness of the eye ti ssue.

## After ingestion:

Risk of aspiration pneumonia.

## 4.2.2 Delayed symptoms

No effects known.

## 4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

# SECTION 5: Firefighting measures

## 5.1. Extinguishing media

## 5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher. Major fire: Class B foam (not alcohol-resistant).

## 5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

## 5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed.

Reason for revision: 8; 15 Publication date: 2001-05-29

Date of revision: 2020-07-24

Revision number: 0809 Product number: 32057 2 / 11

<sup>(10)</sup> Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

### 5.3. Advice for firefighters

### 5.3.1 Instructions:

Cool tanks/drums with water spray/remove them into safety. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.

#### 5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Stop engines and no smoking. No naked flames or sparks. Spark- and explosionproof appliances and lighting equipment.

#### 6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

#### 6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See heading 8.2

#### 6.2. Environmental precautions

Contain released product, pump into suitable containers. Plug the leak, cut off the supply. Dam up the liquid spill. Prevent soil and water pollution. Prevent spreading in sewers.

#### 6.3. Methods and material for containment and cleaning up

Take up liquid spill into a non combusti ble material e.g.: sand, earth, vermiculite. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Damaged/cooled tanks must be emptied. Do not use compressed air for pumping over spills. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

## 6.4. Reference to other sections

See heading 13.

# SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are att ached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 7.1. Precautions for safe handling

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges. Gas/vapour heavier than air at 20°C. Observe normal hygiene standards. Remove contaminated clothing immediately. Do not discharge the waste into the drain. Keep container ti ghtly closed.

## 7.2. Conditions for safe storage, including any incompatibilities

## 7.2.1 Safe storage requirements:

Store in a cool area. Provide for a tub to collect spills. Meet the legal requirements.

## 7.2.2 Keep away from:

Heat sources, ignition sources, oxidizing agents.

## 7.2.3 Suitable packaging material:

No data available

## 7.2.4 Non suitable packaging material:

No data available

## 7.3. Specific end use(s)

If applicable and available, exposure scenarios are att ached in annex. See information supplied by the manufacturer.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1 Occupational exposure

## a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

## b) National biological limit values

If limit values are applicable and available these will be listed below.

## 8.1.2 Sampling methods

If applicable and available it will be listed below.

## 8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

## 8.1.4 Threshold values

## **DNEL/DMEL - Workers**

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	871 mg/m³	
	Long-term systemic effects dermal	77 mg/kg bw/day	

**DNEL/DMEL - General population** 

Reason for revision: 8; 15 Publication date: 2001-05-29

Date of revision: 2020-07-24

Revision number: 0809 Product number: 32057 3 / 11

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	185 mg/m³	
	Long-term systemic effects dermal	46 mg/kg bw/day	
	Long-term systemic effects oral	46 mg/kg bw/day	

## 8.1.5 Control banding

If applicable and available it will be listed below.

## 8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are att ached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

## 8.2.1 Appropriate engineering controls

Use spark-/explosion proof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

#### 8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

#### a) Respiratory protection:

High gas/vapour concentration: full face mask with filter type A.

### b) Hand protection:

Protecti ve gloves against chemicals (EN 374).

Materials	Measured breakthrough time	Thickness	Protection index	Remark
nitrile rubber	> 480 minutes	0.35 mm	Class 6	

#### c) Eye protection:

Face shield (EN 166). d)

#### Skin protection:

Protective clothing (EN 14605 or EN 13034).

### 8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical form	Liquid
Odour	Characteristic odour
Odour threshold	No data available
Colour	No data available on colour
Particle size	Not applicable (liquid)
Explosion limits	0.6 - 7 vol %
Flammability	Flammable liquid and vapour.
Log Kow	Not applicable (mixture)
Dynamic viscosity	1 mPa.s; 20 °C
Kinematic viscosity	1 mm²/s ; 20 °C
Melting point	No data available
Boiling point	130 °C - 166 °C
Evaporation rate	0.35 ; Butyl acetate
Relative vapour density	No data available
Vapour pressure	4.6 hPa ; 20 °C
Solubility	Water ; insoluble
Relative density	0.764 ; 20 °C
Decomposition temperature	No data available
Auto-ignition temperature	200 °C
Flash point	24 °C
Explosive properties	No chemical group associated with explosive properties
Oxidising properties	No chemical group associated with oxidising properties
рН	No data available

## 9.2. Other information

Absolute density	764 kg/m³ ; 20 °C
------------------	-------------------

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

May be ignited by sparks. Gas/vapour spreads at floor level: ignition hazard.

## 10.2. Chemical stability

No data available.

## 10.3. Possibility of hazardous reactions

Reason for revision: 8; 15 Publication date: 2001-05-29

Revision number: 0809 Product number: 32057 4 / 11

Date of revision: 2020-07-24

No data available.

#### 10.4. Conditions to avoid

### **Precautionary measures**

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges.

## 10.5. Incompatible materials

Oxidizing agents.

## 10.6. Hazardous decomposition products

Upon combustion: CO and CO2 are formed.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### 11.1.1 Test results

#### Acute toxicity

## TEC7 CLEANER

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Parameter	Method	Value	Exposure time		Value determination	Remark
Oral	LD50	Equivalent to OECD 401	> 5000 mg/kg bw		Rat (male / female)	Read-across	
Dermal	LD50	Equivalent to OECD 402	> 3160 mg/kg bw	24 h	Rabbit (male / female)	Experimental value	
Inhalation (aerosol)	LC50	Equivalent to OECD 403	> 5.6 mg/l air	4 h	Rat (male / female)	Experimental value	

## Conclusion

Not classified for acute toxicity

### Corrosion/irritation

## **TEC7 CLEANER**

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Result	Method	Exposure time	Time point	Species	Value	Remark
						determination	
Eye	Not irritating	Equivalent to OECD 405		1; 24; 48; 72; 168 hours	Rabbit	Read-across	Single treatment
Skin	Not irritating	Equivalent to OECD 404	4 h	24; 48; 72 hours	Rabbit	Read-across	

# Conclusion

Not classified as irritating to the  $\mbox{\sc skin}$ 

Not classified as irritating to the eyes

## Respiratory or skin sensitisation

## TEC7 CLEANER

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Result	Method	 Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	Equivalent to OECD 406	· ·	Guinea pig (female)	Read-across	

## Conclusion

Not classified as sensitizing for skin

## Specific target organ toxicity

## TEC7 CLEANER

No (test)data on the mixture available

Classification is based on the relevant ingredients

Reason for revision: 8; 15 Publication date: 2001-05-29
Date of revision: 2020-07-24

Revision number: 0809 Product number: 32057 5 / 11

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (stomach tube)	NOAEL	Equivalent to OECD 422	> 1000 mg/kg bw/day		No effect		Rat (male / female)	Read-across
Dermal								Data waiving
Inhalation (vapours)	NOAEC	Equivalent to OECD 413	> 10400 mg/m³ air		No effect	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Read-across
Inhalation			STOT SE cat.3		Drowsiness, dizziness			Literature study

### Conclusion

May cause drowsiness or dizziness. Not classified for subchronic toxicity

### Mutagenicity (in vitro)

### **TEC7 CLEANER**

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

arocarbons, es eso, ir amar	ocarbons, es ezo, in amanes, isoananes, eyenes, e zo aromates							
Result	Method	Test substrate	Effect	Value determination	Remark			
Negative with metabolic	OECD 471	Bacteria (S.typhimurium)	No effect	Read-across				
activation, negative								
without metabolic								
activation								

### Mutagenicity (in vivo)

#### **TEC7 CLEANER**

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative	Equivalent to OECD	5 days (6h / day)	Rat (male / female)		Read-across
	478				

### Conclusion

Not classified for mutagenic or genotoxic toxicity

## Carcinogenicity

## **TEC7 CLEANER**

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	 Value determination
Inhalation (vapours)	NOAEC	Equivalent to OECD 453	, o,	105 weeks (6h / day, 5 days / week)	Rat (female)	No carcinogenic effect	Read-across

## Conclusion

Not classified for carcinogenicity

# Reproductive toxicity

## **TEC7 CLEANER**

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

	Parameter	Method	Value	Exposure time	Species	Effect	- 0	Value determination
Developmental toxicity	NOAEL	Equivalent to OECD 414	≥ 5220 mg/m³ air	10 days (6h / day)	Rat	No effect		Experimental value
Maternal toxicity	NOAEL	Equivalent to OECD 414	> 5220 mg/m³ air	10 days (6h / day)	Rat	No effect		Read-across
Effects on fertility	NOAEL	Equivalent to OECD 413	> 1000 mg/kg bw/day	14 weeks (6h / day, 5 days / week)	Rat (male / female)	No effect		Read-across

## Conclusion

Not classified for reprotoxic or developmental toxicity

## **Aspiration hazard**

Classification is based on the relevant ingredients May be fatal if swallowed and enters airways.

Reason for revision: 8; 15 Publication date: 2001-05-29
Date of revision: 2020-07-24

Revision number: 0809 Product number: 32057 6 / 11

## **Toxicity other effects**

## TEC7 CLEANER

Classification is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value
							determination
				Skin dryness or			Literature study
				cracking			Skin

## Conclusion

Repeated exposure may cause skin dryness or cracking.

### Chronic effects from short and long-term exposure

### **TEC7 CLEANER**

No effects known.

# SECTION 12: Ecological information

## 12.1. Toxicity

## **TEC7 CLEANER**

No (test)data on the mixture available

Classification is based on the relevant ingredients

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	10 mg/l - 30 mg/l	96 h	Oncorhynchus mykiss	Semi-static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EL50	OECD 202	22 mg/l - 46 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; GLP
Toxicity algae and other aquatic plants	NOEL	OECD 201	< 1 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system	Fresh water	Experimental value; GLP
Long-term toxicity fish	NOEL		0.182 mg/l	28 day(s)	Oncorhynchus mykiss		Fresh water	QSAR; Nominal concentration
Long-term toxicity aquatic crustacea	NOELR		0.317 mg/l	21 day(s)	Daphnia magna		Fresh water	QSAR; Nominal concentration

## Conclusion

Harmful to aquatic life with long lasting effects.

## 12.2. Persistence and degradability

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

**Biodegradation water** Method

Method	Value	Duration	Value determination
OECD 301F	89 %	28 day(s)	Experimental value
Phototransformation air (DT50 air)			
Method	Value	Conc. OH-radicals	Value determination

Method	Value	Conc. OH-radicals	Value determination
AOPWIN v1.92	18.679 h	1.5E6 /cm <sup>3</sup>	Calculated value

## Conclusion

Water

Contains readily biodegradable component(s)

## 12.3. Bioaccumulative potential

# **TEC7 CLEANER**

# Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

## hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

## **BCF** fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF	BCFBAF v3.01	551.7 l/kg; Fresh			Estimated value
		weight			

## Log Kow

Method	Remark	Value	Temperature	Value determination	
		4.66		Experimental value	

No straightforward conclusion can be drawn based upon the available numerical values

Reason for revision: 8; 15 Publication date: 2001-05-29 Date of revision: 2020-07-24

Revision number: 0809 Product number: 32057 7 / 11

### 12.4. Mobility in soil

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

#### (log) Koc

Parameter	Method	Value	Value determination
log Koc	SRC PCKOCWIN v2.0	2.380	Calculated value

#### Percent distribution

Method	Fraction air	 Fraction sediment	Fraction soil	Fraction water	Value determination
Fugacity Model Level III	34.9 %	0.553 %	1.19 %	63.4 %	Calculated value

#### Conclusion

No (test)data on mobility of the components available

## 12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

#### 12.6. Other adverse effects

#### **TEC7 CLEANER**

### Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

## Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

## SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are att ached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 13.1. Waste treatment methods

### 13.1.1 Provisions relating to waste

### **European Union**

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

20 01 29\* (separately collected fractions (except 15 01): detergents containing hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

## 13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All enti ti es that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of polluti on or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

## 13.1.3 Packaging/Container

## European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10\* (packaging containing residues of or contaminated by dangerous substances).

## **SECTION 14: Transport information**

## Road (ADR)

14.1. UN number	
UN number	3295
14.2. UN proper shipping name	
Proper shipping name	Hydrocarbons, liquid, n.o.s.
14.3. Transport hazard class(es)	<u> </u>
Hazard identification number	30
Class	3
Classification code	F1
4.4. Packing group	
Packing group	III
Labels	3
4.5. Environmental hazards	·
Environmentally hazardous substance mark	no
4.6. Special precautions for user	
Special provisions	
Limited quantities	Combination packagings: not more than 5 liters per inner packaging for liquids. A package shall not weigh more than 30 kg. (gross mass)

## Rail (RID)

14.	14.1. UN number		
	UN number	3295	
14.	14.2. UN proper shipping name		

Reason for revision: 8; 15 Publication date: 2001-05-29
Date of revision: 2020-07-24

Revision number: 0809 Product number: 32057 8 / 11

	TEC7 CL	.EANER
	Proper shipping name	Hydrocarbons, liquid, n.o.s.
	3. Transport hazard class(es)	
	Hazard identification number	30
	Class	3
	Classification code	F1
14.	4. Packing group	
	Packing group	III
	Labels	3
	5. Environmental hazards	
	Environmentally hazardous substance mark	no
	6. Special precautions for user	
	Special provisions	
	Limited quantities	Combination packagings: not more than 5 liters per inner packaging for
Inland	d waterways (ADN)	liquids. A package shall not weigh more than 30 kg. (gross mass)
	1. UN number	
14.	UN number	3295
14	2. UN proper shipping name	3233
1	Proper shipping name	Hydrocarbons, liquid, n.o.s.
	3. Transport hazard class(es)	1
	Class	3
	Classification code	F1
14.	4. Packing group	
	Packing group	III
	Labels	3
14.	5. Environmental hazards	
	Environmentally hazardous substance mark	no
14.	6. Special precautions for user	
	Special provisions	
	Limited quantities	Combination packagings: not more than 5 liters per inner packaging for liquids. A package shall not weigh more than 30 kg. (gross mass)
14.	MDG/IMSBC)  1. UN number UN number	3295
	2. UN proper shipping name	0255
	Proper shipping name	hydrocarbons, liquid, n.o.s.
	3. Transport hazard class(es)	, , , , ,
	Class	3
14.	4. Packing group	
	Packing group	III
	Labels	3
14.	5. Environmental hazards	
	Marine pollutant	-
	Environmentally hazardous substance mark	no
	6. Special precautions for user	
	Special provisions	223
4.4	Limited quantities	Combination packagings: not more than 5 liters per inner packaging for liquids. A package shall not weigh more than 30 kg. (gross mass)
	7. Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable, based on available data
	Annex II of MARPOL 73/78	ivot applicable, based on available data
	CAO-TI/IATA-DGR)  1. UN number	
	UN number	3295
14.	2. UN proper shipping name	
	Proper shipping name	Hydrocarbons, liquid, n.o.s.
14.	3. Transport hazard class(es)	
	Class	3
14.	4. Packing group	
	Packing group	III
	Labels	3
	5. Environmental hazards	
	Environmentally hazardous substance mark	no
	6. Special precautions for user	
	Special provisions	A3
	Special provisions	A324
P.	assenger and cargo transport	101
	Limited quantities: maximum net quantity per packaging	10 L

Reason for revision: 8; 15 Publication date: 2001-05-29
Date of revision: 2020-07-24

Revision number: 0809 Product number: 32057 9 / 11

# SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
≥ 30 %	

Ingredients according to Regulation (EC) No 648/2004 and amendments

≥30% aliphatic hydrocarbons

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

and use of certain danger	ous substances, mixtures and articles.	
	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
- hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008:  (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F;  (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10;  (c) hazard class5.1.	1. Shall not be used in:  — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,  — tricks and jokes, — games for one or more participants, or any article intended to be used as such, even with ornamental aspects,  2. Articles not complying with paragraph 1 shall not be placed on the market.  3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:  — can be used as fuel in decorative oil lamps for supply to the general public, and, — present an aspiration hazard and are labelled with H304,  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).  5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:  a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life-threatening lung damage";  b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage";  c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.  6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the pre
· hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to that Regulation or not.	1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:  — metallic glitter intended mainly for decoration,  — artificial snow and frost,  — "whoopee" cushions,  — silly string aerosols,  — imitation excrement,  — horns for parties,  — decorative flakes and foams,  — artificial cobwebs,  — stink bombs.  2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:  "For professional users only".  3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/ 324/EEC.  4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

# National legislation Belgium

**TEC7 CLEANER** 

No data available

## **National legislation The Netherlands**

TEC7 CLEANER

Reason for revision: 8; 15 Publication date: 2001-05-29

Date of revision: 2020-07-24

Revision number: 0809 Product number: 32057 10 / 11

Waterbezwaarlijkheid B (3); Algemene Beoordelingsmethodiek (ABM)

### **National legislation France**

TEC7 CLEANER

No data available

## **National legislation Germany**

#### **TEC7 CLEANER**

	Lagerklasse (TRGS510)	3: Entzündbare Flüssigkeiten	
	WGK	2; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017	
h	hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
	TA-Luft	5.2.5/I	

### **National legislation United Kingdom**

**TEC7 CLEANER** 

No data available

## Other relevant data

**TEC7 CLEANER** 

No data available

## 15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

## SECTION 16: Other information

#### Full text of any H-statements referred to under heading 3:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

 $\ensuremath{\mathsf{H412}}$  Harmful to a quatic life with long lasting effects.

(\*) INTERNAL CLASSIFICATION BY BIG

ADI Acceptable daily intake

AOEL Acceptable operator exposure level

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
EC50 Effect Concentration 50 %

ErC50 EC50 in terms of reduction of growth rate

LC50 Lethal Concentration 50 %

LD50 Lethal Dose 50 %

NOAEL No Observed Adverse Effect Level
NOEC No Observed Effect Concentration

OECD Organisation for Economic Co-operation and Development

PBT Persistent, Bioaccumulative & Toxic
PNEC Predicted No Effect Concentration
STP Sludge Treatment Process

vPvB very Persistent & very Bioaccumulative

The informati on in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 8; 15 Publication date: 2001-05-29

Date of revision: 2020-07-24

Revision number: 0809 Product number: 32057 11 / 11