

Page: 1 Compilation date: 21/08/2015

Revision No: 1

### Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

### Product name: PROSOLVE CLEAR LACQUER

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# **1.3. Details of the supplier of the safety data sheet**

#### Company name: Blue Diamond STL

**Kirk Sandall Ind Est** Sandall Stones Road Doncaster **DN3 1QR** United Kingdom

Tel: 01302 310113

Fax: 01302 888883

sales@bdstl.com Email:

# 1.4. Emergency telephone number

Emergency tel: 01302 310113

(office hours only)

#### Section 2: Hazards identification

2.1. Classification of the substa	ince or mixture			
Classification under CLP:	STOT SE 3: H336; Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Flam. Aerosol 1: H222;			
	Lact.: H362; -: EUH066; -: H229			
Most important adverse effects:	Repeated exposure may cause skin dryness or cracking. Extremely flammable aerosol.			
	Pressurised container: May burst if heated. Causes serious eye irritation. May cause			
	drowsiness or dizziness. May cause harm to breast-fed children. Harmful to aquatic life			
	with long lasting effects.			
2.2. Label elements				
Label elements:				
Hazard statements:	EUH066: Repeated exposure may cause skin dryness or cracking.			
	H222: Extremely flammable aerosol.			
	H229: Pressurised container: May burst if heated			
	H319: Causes serious eye irritation.			
	H336: May cause drowsiness or dizziness.			
	H362: May cause harm to breast-fed children.			
	H412: Harmful to aquatic life with long lasting effects.	[cont]		

### PROSOLVE CLEAR LACQUER

 Hazard pictograms:
 GHS02: Flame

 GHS07: Exclamation mark

 Image:

 Signal words:
 Danger

 Precautionary statements:
 P102: Keep out of reach of children.

 P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

 P211: Do not spray on an open flame or other ignition source.

 P251: Do not pierce or burn, even after use.

 P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

 P263: Avoid contact during pregnancy.

 P280: Wear protective gloves/protective clothing/eye protection/face protection.

 P410+112: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

# 2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

# 3.2. Mixtures

#### Hazardous ingredients:

# ACETONE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-662-2	67-64-1	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; -: EUH066	40-50%

#### PROPANE

200-827-9	74-98-6	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	10-20%

#### BUTANE

T			I	
XYLENE				
203-448-7	106-97-8	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	1-10%

215-535-7	1330-20-7	-	Flam. Liq. 3: H226; Acute Tox. 4: H332;	1-10%	
			Acute Tox. 4: H312; Skin Irrit. 2: H315		

Page: 2

# PROSOLVE CLEAR LACQUER

# Page: 3

200-857-2	75-28-5	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	1-10%
1-METHOXY-2-F				4 400/
203-539-1	107-98-2	-	Flam. Liq. 3: H226; STOT SE 3: H336	1-10%
2-BUTOXYETH	-			
203-905-0	111-76-2	-	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-10%
ALKANES, C14-	17, CHLORO			
287-477-0	85535-85-9	-	Lact.: H362; Aquatic Chronic 1: H410; Aquatic Acute 1: H400	1-10%
tion 4: First aid	l measures			
1. Description o	f first aid mea	sures		
5	Skin contact:	Remove all contaminated clothes and	footwear immediately unless stuck to skin. Wash	
		immediately with plenty of soap and w	·	
	Eye contact:	Bathe the eye with running water for 1		
	Ingestion:	Do not induce vomiting. Wash out more	uth with water. Consult a doctor.	
	Inhalation:	Move to fresh air in case of accidental	inhalation of vapours.	
2. Most importa	nt symptoms	and effects, both acute and delayed		
:	Skin contact:	No data available.		
	Eye contact:	No data available.		
	Ingestion:	No data available.		
	Inhalation:	No data available.		
Delayed / immed	liate effects:	No data available.		
3. Indication of a	any immediate	e medical attention and special treatn	nent needed	
mediate / specia	al treatment:	Not applicable.		
tion 5: Fire-figh	nting measu	res		
1. Extinguishing	media			
Extinguis	shing media:	Suitable extinguishing media for the su	urrounding fire should be used.	
2. Special hazar	ds arising fro	m the substance or mixture		
Exposure hazards: Extremely flammable. In combustion emits toxic fumes. Forms explosive air-vapour			mits toxic fumes. Forms explosive air-vapour	
Expos	mixture. Vapour may travel considerable distance to source of ignition and flash back.			
Expos		mixture. Vapour may traver considerat	· · · · · · · · · · · · · · · · · · ·	
Expos 3. Advice for fire	e-fighters			
3. Advice for fire	e-fighters fire-fighters:		tus. Wear protective clothing to prevent contact	

### PROSOLVE CLEAR LACQUER

Page: 4

# Section 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition. If outside do not approach from downwind. 6.2. Environmental precautions Environmental precautions: Do not discharge into drains or rivers. 6.3. Methods and material for containment and cleaning up Clean-up procedures: Absorb into dry earth or sand. Do not use equipment in clean-up procedure which may produce sparks. Clean-up should be dealt with only by qualified personnel familiar with the specific substance. 6.4. Reference to other sections Reference to other sections: Refer to section 8 of SDS. Section 7: Handling and storage 7.1. Precautions for safe handling Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Smoking is forbidden. Use non-sparking tools. Avoid direct contact with the substance. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed. Keep away from direct sunlight. Suitable packaging: Must only be kept in original packaging. 7.3. Specific end use(s) Specific end use(s): No data available. Section 8: Exposure controls/personal protection 8.1. Control parameters Hazardous ingredients:

#### ACETONE

#### Workplace exposure limits:

#### Respirable dust

State	8 hour TWA 15 min. STEL		8 hour TWA	15 min. STEL
UK	1210 mg/m3	3620 mg/m3	-	-

#### PROPANE

UK	1800 mg/m3	7200 mg/m3	-	-	]
----	------------	------------	---	---	---

# PROSOLVE CLEAR LACQUER

BUTANE						
UK 14	150 mg/m3	1810 mg/m3	-	-		
XYLENE						
UK 2	220 mg/m3	441 mg/m3	-	_		
ISOBUTANE						
UK 24	100 mg/m3	9600 mg/m3	-	-		
1-METHOXY-2-PROPANOL						
UK 3	375 mg/m3	560 mg/m3	-	-		
2-BUTOXYETHANOL						
UK	25 ppm	50 ppm	-	-		
DNEL/PNEC Values						
DNEL / PNEC	No data av	ailable.				
8.2. Exposure controls						
Engineering measures:	Ensure the	re is sufficient ventilation of th	e area. Ensure lighting and e	lectrical		
		equipment are not a source of ignition.				
Respiratory protection:		y protection not required.				
Hand protection:						
		Safety glasses. Ensure eye bath is to hand.				
Skin protection:		-				
		om entering in public sewers o	r the immediate environment			
Section 9: Physical and chemi	cal proper	ties				
9.1. Information on basic physic	cal and che	mical properties				
State:	Aerosol					
Colour:	Colourless					
Odour:	Perceptible	e odour				
Flash point°C:	-60	-60				
9.2. Other information						
Other information:	No data av	ailable.				
Section 10: Stability and reacti	ivity					
10.1. Reactivity						
-						
	Stable und	er recommended transport or	storage conditions.			
10.2. Chemical stability						

Chemical stability: Stable under normal conditions. Stable at room temperature.

# PROSOLVE CLEAR LACQUER

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

# 10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Hot surfaces. Sources of ignition. Flames.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### Section 11: Toxicological information

### 11.1. Information on toxicological effects

### Hazardous ingredients:

#### ACETONE

IVN	RAT	LD50	5500	mg/kg
ORL	MUS	LD50	3000	mg/kg
ORL	RAT	LD50	5800	mg/kg

#### XYLENE

ORL	MUS	LD50	2119	mg/kg
ORL	RAT	LD50	4300	mg/kg
SCU	RAT	LD50	1700	mg/kg

### 1-METHOXY-2-PROPANOL

IVN	RAT	LD50	4200	mg/kg
ORL	MUS	LD50	11700	mg/kg
ORL	RAT	LDLO	3739	mg/kg

#### 2-BUTOXYETHANOL

IVN	RAT	LD50	307	mg/kg
ORL	MUS	LD50	1230	mg/kg
ORL	RAT	LD50	470	mg/kg

# Relevant hazards for substance:

Hazard	Route	Basis	
Serious eye damage/irritation	OPT	Hazardous: calculated	

PROSOLVE CLEAR LACQUER

								Page:	7
STOT-single exposure		-	Ha	zardous	: calculated				
Symptoms / routes of exposure	)								
Skin contact:	No data av	vailable.							
Eye contact:	No data av	data available.							
Ingestion:	No data av	data available.							
Inhalation:	No data av	vailable.							
Delayed / immediate effects:	No data av								
Other information:	Not applica	able.							
Section 12: Ecological informa	ition								
12.1. Toxicity									
Hazardous ingredients:									
ACETONE									
BLUEGILL (Lepomis macroch	irus)		LC50			8300	mg/l		
	103)		2000			0000	mg/i		
12.2. Persistence and degradat	oility								
Persistence and degradability:	No data av	vailable.							
12.3. Bioaccumulative potentia	l								
Bioaccumulative potential:	No data av	vailable.							
12.4. Mobility in soil									
Mobility:	No data av	vailable.							
12.5. Results of PBT and vPvB	assessmen	t							
PBT identification:	This produ	ct is not identifie	d as a PBT/vPvE	substar	ice.				
12.6. Other adverse effects									
Other adverse effects:	No data av	vailable.							
Section 13: Disposal consideration	ations								
13.1. Waste treatment methods									
Disposal operations:	Transfer to	a suitable conta	ainer and arrange	for colle	ection by spe	cialised d	isposal		
	company.						lopoodi		
Recovery operations:	Not applica	able.							
Disposal of packaging:	Not applica								
			vn to the possible	existen	ce of regiona	l or natior	nal		
		s regarding dispo	-		-				
Section 14: Transport informat	ion								

# Section 14: Transport information

# PROSOLVE CLEAR LACQUER

	Page:
14.1. UN number	
UN number:	UN1950
14.2. UN proper shipping name	
Shipping name:	AEROSOLS
14.3. Transport hazard class(es	
Transport class:	2
14.4. Packing group	
14.5. Environmental hazards	
Environmentally hazardous:	Yes Marine pollutant: No
14.6. Special precautions for us	ser
Special precautions:	No special precautions.
Tunnel code:	D
Transport category:	2
ection 15: Regulatory information	ation
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
Specific regulations:	
15.2. Chemical Safety Assessm	
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture
	by the supplier.
ection 16: Other information	
Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH066: Repeated exposure may cause skin dryness or cracking.
	H220: Extremely flammable gas.
	H222: Extremely flammable aerosol.
	H225: Highly flammable liquid and vapour.
	H226: Flammable liquid and vapour.
	H229: Pressurised container: May burst if heated
	H302: Harmful if swallowed.
	H312: Harmful in contact with skin.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.

# PROSOLVE CLEAR LACQUER

H336: May cause drowsiness or dizziness.
 H362: May cause harm to breast-fed children.
 H410: Very toxic to aquatic life with long lasting effects.
 H412: Harmful to aquatic life with long lasting effects.
 Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

### **Page:** 9